

## Christopher P. Palmer Publications:

- “Silica modified with polymeric amphiphilic nanoparticles as first dimension for multidimensional separation techniques,” Maraisa S Franco, Rodrigo N Padovan, Bruno H Fumes, Christopher P Palmer, Julie R McGettrick, Fernando M. Lancas, (2019) *Journal of Chromatography A*, 1597, 149-158. [10.1016/j.chroma.2019.03.029](https://doi.org/10.1016/j.chroma.2019.03.029)
- “Sphingomyelin ability to act as chiral selector using nanodisc electrokinetic chromatography,” William M. Penny and Christopher P. Palmer, (2018), *Chemistry and Physics of Lipids*, 214, 11-14. [10.1016/j.chemphyslip.2018.05.002](https://doi.org/10.1016/j.chemphyslip.2018.05.002)
- “Effects of structure on the performance of latex nanoparticles as a pseudostationary phase in electrokinetic chromatography, Jesse S. Hyslop, Julie R. McGettrick, Leah M.G. Hall, Hungngai Chuk, Christopher P. Palmer, (2018), *Analytica Chimica Acta*, 1000, 293-302. [10.1016/j.aca.2017.11.020](https://doi.org/10.1016/j.aca.2017.11.020)
- “Determination of lipid bilayer affinities and solvation characteristics by electrokinetic chromatography using polymer-bound lipid bilayer nanodiscs,” William M. Penny, Christopher P. Palmer, (2018), *Electrophoresis*, 39, 844-852, [10.1002/elps.201700308](https://doi.org/10.1002/elps.201700308)
- “Phospholipid Bilayer Affinities and Solvation Characteristics by Electrokinetic Chromatography with a Nanodisc Pseudostationary Phase,” William M. Penny, Harmen B. Steele, J.B. Alexander Ross, Christopher P. Palmer, (2017) *Electrophoresis*, 38, 738-746. [10.1002/elps.201600381](https://doi.org/10.1002/elps.201600381)
- “Performance and Selectivity of Cationic Nanoparticle Pseudo-Stationary Phases in Electrokinetic Chromatography,” Julie R. McGettrick, Nathan H. Williamson, Adam T. Sutton, Christopher P. Palmer (2017) *Electrophoresis*, 38, 730-737. [10.1002/elps.201600380](https://doi.org/10.1002/elps.201600380)
- “Comparison and Evaluation of Methods to Apportion Ambient PM2.5 to Residential Wood Heating in Fairbanks, AK,” Brittany D. Busby, Tony J. Ward, Jay R. Turner, Christopher P. Palmer, *Aerosol Air Qual. Res* (2016) 16(3), 492-503. [10.4209/aaqr.2015.04.0235](https://doi.org/10.4209/aaqr.2015.04.0235)
- “Electrokinetic Chromatography: An Historical Review of Developments in Theory and Practice,” C.P. Palmer, (2015) *Scientia Chromatographica*, 7(1), 1-23. [10.4322/sc.2015.014](https://doi.org/10.4322/sc.2015.014)
- “RAFT Polymerized Nanoparticles: Influences of Shell and Core Chemistries on Performance for Electrokinetic Chromatography,” Jesse S. Hyslop, Leah M.G. Hall, Andre A. Umansky, Christopher P. Palmer, (2014) *Electrophoresis*, 35, 728-735. [10.1002/elps.201300403](https://doi.org/10.1002/elps.201300403)
- “The impact of a community-wide woodstove changeout intervention on air quality within two schools,” Tony J. Ward, Christopher P. Palmer, Kathi Hooper, Megan Bergauff, Curtis Noonan, (2013) *Atmospheric Pollution Research*, 4, 238-244. [10.5094/APR.2013.025](https://doi.org/10.5094/APR.2013.025)
- “Residential indoor PM2.5 in wood stove homes: follow-up of the Libby changeout program,” C.W. Noonan, W. Navidi, L. Sheppard, C.P. Palmer, M. Bergauff, K. Hooper, T.J. Ward, (2012) *Indoor Air*, 22(6), 492-500. [10.1111/j.1600-0668.2012.00789.x](https://doi.org/10.1111/j.1600-0668.2012.00789.x)
- “Organic/elemental carbon and woodsmoke tracer concentrations following a community wide woodstove changeout program,” T.J Ward, C.P. Palmer, M. Bergauff, R.K.M. Jayanty, C.W. Noonan, (2011) *Atmospheric Environment*, 45, 5554-5560. [10.1016/j.atmosenv.2011.05.005](https://doi.org/10.1016/j.atmosenv.2011.05.005)

- “Retention Behavior and Selectivity of a Latex Nanoparticle Pseudostationary Phase for Electrokinetic Chromatography,” Christopher P. Palmer, Allison Keefer, Emily F. Hilder, Paul R. Haddad, (2011) *Electrophoresis*, 32, 588-594. [10.1002/elps.201044470](https://doi.org/10.1002/elps.201044470)
- “Changes in Respiratory Symptoms and Infections Following a Reduction in Wood Smoke PM,” Curtis W. Noonan, Tony J. Ward, William Navidi, Lianne Sheppard, Chris Palmer, Megan Bergauff, (2011), *Epidemiology*: 22, S186. [10.1097/01.ede.0000392249.44531.f3](https://doi.org/10.1097/01.ede.0000392249.44531.f3)
- “Fine particulate matter source apportionment following a large woodstove changeout program in Libby, Montana,” Tony J. Ward, Christopher P. Palmer, Curtis W. Noonan, (2010) *Journal of the Air & Waste Management Association*, 60(6), 688-693. [10.3155/1047-3289.60.6.688](https://doi.org/10.3155/1047-3289.60.6.688)
- “Electrokinetic Chromatography and Mass Spectrometric Detection Using Latex Nanoparticles as a Pseudostationary Phase,” Christopher P. Palmer, Emily F. Hilder, Joselito P. Quirino and Paul R. Haddad, (2010) *Analytical Chemistry*, 82(10), 4046-4054 [10.1021/ac902922u](https://doi.org/10.1021/ac902922u)
- “Urinary Levoglucosan as a Biomarker for Wood Smoke: Results of Human Exposure Studies,” Megan A. Bergauff, Tony J. Ward, Curtis W. Noonan, Christopher T. Migliaccio, Christopher D. Simpson, Ashley R. Evanoski, and Christopher P. Palmer, (2010) *Journal of Exposure Science and Environmental Epidemiology*, 20, 385-392. [10.1038/jes.2009.46](https://doi.org/10.1038/jes.2009.46)
- “Community Woodstove Changeout and Impact on Ambient Concentrations of Polycyclic Aromatic Hydrocarbons and Phenolics,” Tony J. Ward, Christopher P. Palmer, James E. Houck, William C. Navidi, Steve Geinitz, Curtis W. Noonan, (2009) *Environmental Science & Technology*, 43(14), 5345-5350. [10.1021/es8035253](https://doi.org/10.1021/es8035253)
- “The effect of a woodstove changeout on ambient levels of PM2.5 and chemical tracers for woodsmoke in Libby, Montana,” Megan A. Bergauff, Tony J. Ward, Curtis W. Noonan and Christopher P. Palmer, (2009) *Atmospheric Environment*, 43(18), 2938-2943. [10.1016/j.atmosenv.2009.02.055](https://doi.org/10.1016/j.atmosenv.2009.02.055)
- “Covalent modification of fused silica capillaries with quaternized polyamines to achieve robust and stable anodic electroosmotic flow,” Jesse J. Stine and Christopher P. Palmer, (2009) *Journal of Separation Science*, 32(3), 446-456. [10.1002/jssc.200800533](https://doi.org/10.1002/jssc.200800533)
- “Urinary levoglucosan as a biomarker of wood smoke exposure: observations in a mouse model and in children,” Christopher T. Migliaccio, Megan A. Bergauff, Christopher P. Palmer, Forrest Jessop, Curtis W. Noonan and Tony J. Ward, (2009) *Environmental Health Perspectives*, 117(1), 74-79. [10.1289/ehp.11378](https://doi.org/10.1289/ehp.11378)
- “Recent progress in the use of ionic polymers as pseudostationary phases for electrokinetic chromatography,” Christopher P. Palmer, (2009) *Electrophoresis*, 30(1), 163-168. [10.1002/elps.200800420](https://doi.org/10.1002/elps.200800420)
- “Results of a Residential Indoor PM2.5 Sampling Program Before and After a Woodstove Changeout,” T. J. Ward, C. Palmer, M. Bergauff, K. Hooper and C. Noonan, (2008) *Indoor Air*, 18, 408-415. [10.1111/j.1600-0668.2008.00541.x](https://doi.org/10.1111/j.1600-0668.2008.00541.x)
- “Characterization of long pathlength capillary waveguides for evanescent fluorescence sensing applications,” E. D. Paprocki, B. K. Keller, C. P. Palmer, W. R. Laws, M. D. DeGrandpre, (2008) *Sensors and Actuators, B: Chemical*, B135(1), 145-151. [10.1016/j.snb.2008.08.014](https://doi.org/10.1016/j.snb.2008.08.014)

- "Development of a fiber-optic capillary evanescent wave surface plasmon resonance biosensor," Brian K. Keller, Olga Shulga, Christopher P. Palmer and Michael D. Degrandpre, (2008) *Sensors & Transducers Journal* 88(2), 21-30. [www.sensorsportal.com/HTML/DIGEST/february\\_08/P\\_235.pdf](http://www.sensorsportal.com/HTML/DIGEST/february_08/P_235.pdf)
- "Determination and evaluation of selected organic chemical tracers for wood smoke in airborne particulate matter," , Megan Bergauff, Tony Ward, Curtis Noonan and Christopher P Palmer (2008) *International Journal of Environmental Analytical Chemistry*, 88(7), 473-486. [10.1080/03067310701809110](https://doi.org/10.1080/03067310701809110)
- "Electrokinetic Chromatography with Polymeric Pseudostationary Phases," Christopher P. Palmer, (2008) *Journal of Separation Science*, 31, 783-793. [10.1002/jssc.200700524](https://doi.org/10.1002/jssc.200700524)
- "Cationic surfactants for micellar electrokinetic chromatography: 2. Representative applications to acidic, basic, and hydrophobic analytes," Vincent P. Schnee, Christopher P. Palmer, (2008) *Electrophoresis*, 29(4), 777-782. [10.1002/elps.200700494](https://doi.org/10.1002/elps.200700494)
- "Cationic surfactants for micellar electrokinetic chromatography: 1. Characterization of selectivity using the linear solvation energy relationships model," Vincent P. Schnee, Christopher P. Palmer, (2008) *Electrophoresis*, 29(4), 767-776. [10.1002/elps.200700495](https://doi.org/10.1002/elps.200700495)
- "Characterization of a Cationic Phosphonium Surfactant for Micellar Electrokinetic Chromatography using the Linear Solvation Energy Relationships Model," Vincent P. Schnee and Christopher P. Palmer, (2008) *Electrophoresis*, 29(4), 761-766. [10.1002/elps.200700533](https://doi.org/10.1002/elps.200700533)
- "Recent progress in the use of ionic polymers as pseudostationary phases for EKC," Christopher P. Palmer, (2007) *Electrophoresis*, 28, 164-173.
- "Waveguiding Properties of Fiber-Optic Capillaries for Chemical Sensing Applications," Brian K. Keller, Michael D. DeGrandpre and Christopher P. Palmer, (2007) *Sensors and Actuators, B: Chemical*, B125, 360-371. [10.1016/j.snb.2007.02.022](https://doi.org/10.1016/j.snb.2007.02.022)
- "Electrokinetic chromatographic characterization of novel pseudo-phases based on N-alkyl-N-methylpyrrolidinium ionic liquid type surfactants," Vincent P. Schnee, Gary A. Baker, Erika Rauk and Christopher P. Palmer, (2006) *Electrophoresis*, 27, 4141-4148. [link](#)
- "Detection of V-Type Nerve Agent Degradation Products using a Polypyrrole/pyrroloquinoline Quinone-Modified Electrode," Olga V. Schula and Christopher Palmer, (2006) NATO Science Series II, Mathematics, Physics and Chemistry, 220: *Surface Chemistry in Biomedical and Environmental Science*, J.P. Blitz adv W. M. Gun'ko(eds.) 253-264.
- "Detection of V-type Nerve Agent Degradation Products at Electrodes Modified by PPy/PQQ using CaCl<sub>2</sub> as supporting electrolyte," Olga V. Shulga and Christopher Palmer, (2006) *Analytical and Bioanalytical Chemistry*, 385, 1116-1123. [link](#)
- "Cationic and perfluorinated polymeric pseudostationary phases for electrokinetic chromatography," Erika Rauk, Anton Kotzev, Andre Laschewsky, Christopher P. Palmer, (2006) *Journal of Chromatography A*, 1106, 29-35. [link](#)
- "Polymeric Pseudostationary Phases and Dendrimers," Christopher P. Palmer, in *Electrokinetic Chromatography, Theory, Instrumentation and Applications*, Ute Pyell, Ed., 2006, John Wiley and Sons, Chichester, England.

- “Performance and selectivity of polymeric pseudostationary phases for the electrokinetic separation of amino acid derivatives and peptides,” S. Schulte, A.K. Singh, E. Rauk, C.P. Palmer, **(2005)** *Analytical and Bioanalytical Chemistry*, 382, 777-782. [10.1007/s00216-005-3131-6](https://doi.org/10.1007/s00216-005-3131-6)
- “Conformational Effects on the Performance and Selectivity of a Polymeric Pseudostationary Phase in Electrokinetic Chromatography,” J.P. McCarney, R.D. Loflin, E. Rauk, S. I. Yusa and C.P. Palmer, **(2005)** *Electrophoresis*, 26, 841-848. [10.1002/elps.200410196](https://doi.org/10.1002/elps.200410196)
- “Recent Progress in the use of Soluble Ionic Polymers as Pseudostationary Phases for Electrokinetic Chromatography,” Christopher P. Palmer and Jonathan P. McCarney, **(2004)** *Electrophoresis*, 25, 4086-4094. [link](#)
- “Characterization of Long Pathlength Capillary Waveguides for Evanescent Chemical Sensing Applications,” B.K. Keller, M.D. DeGrandpre, C.P. Palmer, **(2004)** *Proceedings of the SPIE*, 5585,143-151.
- “Developments in the use of soluble ionic polymers as pseudo-stationary phases for electrokinetic chromatography and stationary phases for electrochromatography,” Christopher P. Palmer and Jonathan P. McCarney, **(2004)** *Journal of Chromatography, A*, 1044(1-2), 159-176. [link](#)
- “Characterization of Solvation Environment Provided by Dilute Poly(Sulfonyl Maleic Anhydride-co-Dodecyl Vinyl Ether) Solutions at Various pH Using Fluorescence Probes Pyrene and 1,3-Bis-(1-Pyrenyl)Propane,” Siddharth Pandey, Rebecca A. Redden, Kristin A. Fletcher, and Christopher P. Palmer, **(2003)** *Macromolecular Chemistry and Physics*, 204, 425-435. [link](#)
- “Characterization of Solvation Environment Provided by Dilute Aqueous Solutions of Novel Siloxane Polysoaps using the Fluorescence Probe Pyrene,” Siddharth Pandey, Rebecca A. Redden, Ashley E. Hendricks, Kristin A. Fletcher and Christopher P. Palmer, **(2003)** *Journal of Colloid and Interface Science*, 262, 579-587. [link](#)
- “Method Development for Micellar Electrokinetic Chromatography,” C.P. Palmer, **(2003)**, *Chromatographia*, 57, S333-S337.
- “Alkyl-Modified Siloxanes as Pseudo-Stationary Phases for Electrokinetic Chromatography,” Shannon Schulte and Christopher P. Palmer, **(2003)**, *Electrophoresis*, 24, 978-983. [link](#)
- “Recent Progress in the Development, Characterization and Application of Polymeric Pseudophases for Electrokinetic Chromatography,” Christopher P. Palmer, **(2002)**, *Electrophoresis*, 23, 3993-4004.
- “Novel Alkyl-Modified Siloxanes as Pseudostationary Phases for Electrokinetic Chromatography III. Performance in Organic-Modified Buffers,” Dominic Peterson and Christopher P. Palmer, **(2002)**, *Journal of Chromatography A*, 959, 255-261.
- “High-Speed Separations by Electrokinetic Chromatography using Polymeric Pseudo-Stationary Phases,” Wei Shi and Christopher P. Palmer **(2002)**, *Journal of Separation Science*, 25, 543-546.
- “Microscale Liquid Phase Separations,” Christopher P. Palmer and Vincent T. Remcho, **(2002)** *Analytical and Bioanalytical Chemistry*, 372, 35-36.
- “On-Column Preconcentration Electrokinetic Chromatography by Sweeping with Polymeric Pseudo-Stationary Phases,” Wei Shi and Christopher P. Palmer, **(2002)** *Journal of Separation Science*, 25, 215-221. [10.1002/1615-9314\(20020301\)25:4<215::AID-JSSC215>3.0.CO;2-S](https://doi.org/10.1002/1615-9314(20020301)25:4<215::AID-JSSC215>3.0.CO;2-S)
- “Effect of Pendent Group Structures on the Chemical Selectivity and Performance of Sulfonated Copolymers as Novel Pseudo Phases in Electrokinetic Chromatography,” Wei Shi and Christopher P. Palmer, **(2002)** *Electrophoresis*, 23, 1285-1295. DOI: [10.1002/1522-2683\(200205\)23:9<1285::AID-ELPS1285>3.0.CO;2-A](https://doi.org/10.1002/1522-2683(200205)23:9<1285::AID-ELPS1285>3.0.CO;2-A)
- “Novel Alkyl Modified Anionic Siloxanes as Pseudostationary Phases for Electrokinetic Chromatography.

2. Selectivity Studied by Linear Solvation Energy Relationships," D.S. Peterson and C.P. Palmer, (2001) *Electrophoresis*, 22, 3562-3566.
- "Alkyl Modified Anionic Siloxanes as Pseudostationary Phases for Electrokinetic Chromatography. I. Synthesis and Characterization," D.S. Peterson and C.P. Palmer, (2001) *Journal of Chromatography A*, 924, 103-110. [10.1016/S0021-9673\(01\)00759-2](https://doi.org/10.1016/S0021-9673(01)00759-2)
- "Effect of Pendant Chain Lengths and Backbone Functionalities on the Chemical Selectivity of Sulfonated Amphiphilic Copolymers as Pseudo-Stationary Phases in Electrokinetic Chromatography," W. Shi, D.S. Peterson and C.P. Palmer. (2001) *Journal of Chromatography A*, 924, 123-135.
- "Sulfonated acrylamide copolymers as pseudo-stationary phases in electrokinetic chromatography," W. Shi, C.J. Watson and C.P. Palmer, (2001) *Journal of Chromatography A*, 905, 281-290.
- "Synthesis and Characterization of Novel Anionic Siloxane Polymers as Pseudostationary Phases for Electrokinetic Chromatography," Dominic S. Peterson and Christopher P. Palmer, (2001) *Electrophoresis*, 22, 1314-1321.
- "Molecular Micelles: Novel Pseudostationary Phases for CE," S.A. Shamsi, C.P. Palmer and I.M. Warner, (2001) *Analytical Chemistry*, 73, 140A-149A.
- "An Anionic Siloxane Polymer as a PseudoStationary Phase for Electrokinetic Chromaography," Dominic S. Peterson and Christopher P. Palmer, (2000) *Electrophoresis*, 21, 3174-3180.
- "Polymeric and Polymer-Supported PseudoStationary Phases in Micellar Electrokinetic Chromatography: Performance and Selectivity," Christopher P. Palmer, (2000) *Electrophoresis*, 21, 4054-4072.
- "Evaluation of Polymers Based on a Silicone Backbone as Pseudo-Stationary Phases for Electrokinetic Chromatography," Ting Chen and Christopher P. Palmer, (1999) *Electrophoresis*, 20, 2412-2419.
- "Polymers of Sodium-N-undec-10-en-1-oyl taurate and Sodium-N-undec-10-en-1-oyl aminoethyl-2-phosphonate as Pseudo-Stationary Phases for Electrokinetic Chromatography," K.T. Tellman and C.P. Palmer, (1999) *Electrophoresis*, 20, 152-161.
- "Poly(sodium 10-undecylenate) as a Pseudo-Stationary Phase for Micellar Electrokinetic Chromatography: Effects of Polymerization Initiator," C.P. Palmer and K.T. Tellman, (1999) *Journal of Microcolumn Separations*, 11, 185-191. [10.1002/\(SICI\)1520-667X\(1999\)11:3%3c185::AID-MCS3%3e3.0.CO;2-W](https://doi.org/10.1002/(SICI)1520-667X(1999)11:3%3c185::AID-MCS3%3e3.0.CO;2-W)
- "Demonstrating Various Chemical and Analytical Concepts in the Undergraduate Laboratory Using Capillary Electrophoresis and Micellar Electrokinetic Chromatography," Christopher P. Palmer, (1999) *Journal of Chemical Education*, 76(11), 1542-1543. [10.1021/ed076p1542](https://doi.org/10.1021/ed076p1542)
- "Control of Migration Time Window and Selectivity in Electrokinetic Chromatography with Mixed Polymeric Pseudo-Stationary Phases," N. Tanaka, K. Nakagawa, K. Hosoya, C.P. Palmer and S. Kunugi, (1998) *Journal of Chromatography A*, 802, 23-33.
- "Selectivity of Polymeric Undecenyl Pseudo-Stationary Phases in Micellar Electrokinetic Chromatography," Christopher P. Palmer and Shigeru Terabe, (1997) *Analytical Chemistry*, 69, 1852-1860.
- "Micelle Polymers, Polymer Surfactants and Dendrimers as Pseudo-Stationary Phases in Micellar Electrokinetic Chromatography," Christopher P. Palmer, (1997) *Journal of Chromatography A*, 780, 75-92.

- “Selectivity of Polymeric and Polymer-Supported Pseudo-Stationary Phases in Micellar Electrokinetic Chromatography,” Christopher P. Palmer and Nobuo Tanaka, (1997) *Journal of Chromatography A*, 792, 105-124.
- “A Novel Pseudo-Stationary Phase for Micellar Electrokinetic Chromatography,” Christopher P. Palmer and Shigeru Terabe, (1996) *Journal of Microcolumn Separations*, 8, 115-121.
- “Difference in Reproducibility Between High-Molecular Surfactants and SDS as Pseudo-Stationary Phases in MEKC,” Takuya Yamaguchi, Christopher P. Palmer, Koji Otsuka and Shigeru Terabe, (1996) *Kuromatogurafi*, 17, 136-137.
- C.P. Palmer and Shigeru Terabe, (1995) *Kuromatogurafi*, 16, 98.
- “Statistical Evaluation of Various Qualitative Parameters in Capillary Electrophoresis,” C.P. Palmer and B.G.M. Vandeginste, (1995) *Journal of Chromatography A*, 718, 153.  
[https://doi.org/10.1016/0021-9673\(95\)00636-2](https://doi.org/10.1016/0021-9673(95)00636-2)
- “Novel Pseudostationary Phase for Micellar Electrokinetic Chromatography,” Christopher P. Palmer and Harold M. McNair, (1992) *Journal of Microcolumn Separations*, 4, 509-514.
- “A Monomolecular Pseudostationary Phase for Micellar Electrokinetic Chromatography,” Christopher P. Palmer, Maha Y. Khaled and Harold M. McNair, (1992) *Journal of High Resolution Chromatography*, 15, 756-762.
- “Correspondence Analysis and Adsorbate Selection for Chemical Sensor Arrays,” Fernando Avila, D. E. Myers and Christopher Palmer, (1991), *Journal of Chemometrics*, 5, 455.
- “Disposal of Concentrated Solutions of Diazinon using Organic Adsorption and Chemical and Microbial Degradation,” Donald E. Mullins, Roderick W. Young, Christopher P. Palmer, Robert L. Hamilton and Peter C. Sheretz, (1989) *Pesticide Science*, 25, 241.